

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|--|------------------|---------|------------------|
| S1 | 154 | 380/258.ccls. AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/18 14:39 |
| S2 | 2 | "5243649".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/18 14:21 |
| S3 | 2 | "5339182".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/18 14:22 |
| S4 | 2 | "5414771".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/18 14:23 |
| S5 | 2 | "5675648".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/18 14:24 |
| S6 | 2 | "5732139".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/18 14:25 |
| S7 | 2 | "5757912".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/18 14:26 |
| S8 | 2 | "5764765".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/18 14:27 |

EAST Search History

| | | | | | | |
|-----|---|---|--|-----|----|------------------|
| S9 | 2 | "5768378".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/18 14:29 |
| S10 | 2 | "5850441".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/18 14:30 |
| S11 | 2 | "5953421".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/18 14:30 |
| S12 | 2 | "5966224".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/18 14:31 |
| S13 | 2 | "6028935".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/18 14:32 |
| S14 | 0 | training symbols AND 380/258.ccls. AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/18 14:39 |
| S15 | 3 | training symbols AND "380".clas. AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/18 15:04 |
| S16 | 3 | timing symbols AND "380".clas. AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/18 14:46 |

EAST Search History

| | | | | | | |
|-----|-----|--|--|-----|----|------------------|
| S17 | 23 | path length AND quantum AND ("380".clas. OR "726".clas. OR "713".clas.) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/18 14:54 |
| S18 | 15 | timing AND path length AND quantum AND ("380".clas. OR "726".clas. OR "713".clas.) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/18 14:54 |
| S19 | 16 | timing AND (path length OR length path) AND quantum AND ("380".clas. OR "726".clas. OR "713".clas.) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/18 14:59 |
| S20 | 24 | (path length OR length path) AND quantum AND ("380".clas. OR "726".clas. OR "713".clas.) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/18 14:54 |
| S21 | 3 | quantum cryptographic key distribution AND (path length OR length path) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/18 14:59 |
| S22 | 822 | training symbols AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/18 15:04 |
| S23 | 32 | (length path OR path length) AND training symbols AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/18 15:05 |
| S24 | 29 | phase AND (length path OR path length) AND training symbols AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/18 15:10 |

EAST Search History

| | | | | | | |
|-----|-----|--|--|-----|----|------------------|
| S25 | 495 | phase AND (length path OR path length) AND timing pulse AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/18 15:12 |
| S26 | 42 | quantum AND phase AND (length path OR path length) AND timing pulse AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/18 15:12 |
| S27 | 2 | quantum AND phase error AND (length path OR path length) AND timing pulse AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/18 16:17 |
| S28 | 86 | quantum AND phase error AND path AND timing AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/18 18:23 |
| S29 | 1 | (quantum key distribution OR quantum cryptographic key distribution OR "QKD") AND quantum AND phase error AND path AND timing AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/18 16:18 |
| S30 | 2 | phase error AND phase shift AND fiber stretcher AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/19 08:12 |
| S31 | 228 | fiber stretcher AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/19 08:12 |
| S32 | 98 | well known AND fiber stretcher AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/19 08:15 |

EAST Search History

| | | | | | | |
|-----|------|--|--|-----|----|------------------|
| S33 | 13 | well known SAME fiber stretcher AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/19 08:40 |
| S34 | 2172 | probabilit\$2 AND phase error AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/19 08:38 |
| S35 | 961 | filter AND estimat\$3 AND length AND probabilit\$2 AND phase error AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/19 08:39 |
| S36 | 843 | detection AND filter AND estimat\$3 AND length AND probabilit\$2 AND phase error AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/19 08:46 |
| S37 | 6 | well known SAME fiber stretcher AND ("359".clas. OR "385".clas.) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/19 08:40 |
| S38 | 10 | detection AND filter AND estimat\$3 AND length AND probabilit\$2 AND phase error AND ("359".clas. OR "385".clas.) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/19 09:35 |
| S39 | 2 | "5157461".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/19 09:34 |
| S40 | 2 | "6160627".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/19 09:34 |

EAST Search History

| | | | | | | |
|-----|----|--|--|-----|----|------------------|
| S41 | 0 | least absolute residual AND (bi-square OR bisquare) weight AND ("359".clas. OR "385".clas.) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/19 09:36 |
| S42 | 6 | least absolute residual OR (bi-square OR bisquare) weight AND ("359".clas. OR "385".clas.) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/19 10:27 |
| S43 | 85 | absolute residual OR (bi-square OR bisquare) weight AND ("359".clas. OR "385".clas.) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/19 09:44 |
| S44 | 15 | estimation AND absolute residual OR (bi-square OR bisquare) weight AND ("359".clas. OR "385".clas.) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/19 09:55 |
| S45 | 21 | (estimation OR estimate) AND absolute residual OR (bi-square OR bisquare) weight AND ("359".clas. OR "385".clas.) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/19 09:45 |
| S46 | 2 | optic AND (estimation OR estimate) AND absolute residual OR (bi-square OR bisquare) weight AND ("359".clas. OR "385".clas.) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/19 09:45 |
| S47 | 3 | optic AND absolute residual OR (bi-square OR bisquare) weight AND ("359".clas. OR "385".clas.) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/19 09:45 |
| S48 | 0 | optic AND (absolute residual OR (bi-square OR bisquare)) AND ("359".clas. OR "385".clas.) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/19 09:46 |

EAST Search History

| | | | | | | |
|-----|----|---|--|-----|----|------------------|
| S49 | 4 | optic AND (absolute residual OR (bi-square OR bisquare)) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/19 09:46 |
| S50 | 0 | optic AND (absolute residual OR (bi-square OR bisquare)) weight AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/19 09:46 |
| S51 | 3 | optic AND absolute residual OR bi\$1square weight AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/19 09:46 |
| S52 | 1 | optic AND (absolute residual OR bi\$1square weight) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/19 09:47 |
| S53 | 70 | (absolute residual OR bi\$1square weight) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/19 09:47 |
| S54 | 0 | phase error AND (absolute residual OR bi\$1square weight) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/19 09:47 |
| S55 | 4 | estimat\$3 AND phase AND (absolute residual OR bi\$1square weight) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/19 09:48 |
| S56 | 16 | estimat\$3 AND (absolute residual OR bi\$1square weight) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/19 09:48 |

EAST Search History

| | | | | | | |
|-----|----|--|--|-----|----|------------------|
| S57 | 3 | robust least square AND (absolute residual OR (bisquare OR bi square OR bi-square)) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/19 09:50 |
| S58 | 31 | robust least square AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/19 09:51 |
| S59 | 0 | least absolute residual AND robust least square AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/19 09:51 |
| S60 | 19 | weight AND robust least square AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/19 09:52 |
| S61 | 14 | bisquare OR least absolute residuals AND ("359".clas. OR "385".clas.) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/19 10:29 |
| S62 | 40 | (QKD quantum key distribution) AND interferomet\$3 AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/09 13:03 |
| S63 | 33 | path AND (QKD quantum key distribution) AND interferomet\$3 AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/09 13:05 |
| S64 | 32 | length AND path AND (QKD quantum key distribution) AND interferomet\$3 AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/09 13:05 |

EAST Search History

| | | | | | | |
|-----|---|--|--|-----|----|------------------|
| S65 | 0 | training AND symbol\$1 AND length AND path AND (QKD quantum key distribution) AND interferomet\$3 AND (@pd<"20030321" or @ad<"20030321" or @prad<"20030321" or @rlad<"20030321") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/01/27 09:42 |
| S66 | 9 | symbol\$1 AND length AND path AND (QKD quantum key distribution) AND interferomet\$3 AND (@pd<"20030321" or @ad<"20030321" or @prad<"20030321" or @rlad<"20030321") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/01/27 09:42 |
| S67 | 5 | symbol\$1 AND length AND path AND (QKD quantum key distribution) AND interferomet\$3 AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/01/27 09:42 |
| S68 | 2 | "7242774".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/01/27 09:44 |
| S69 | 0 | (cipher framing training) AND symbol\$1 AND length AND path AND (QKD quantum key distribution) AND interferomet\$3 AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/01/27 09:45 |
| S70 | 0 | (cipher framing training) AND symbol\$1 AND (QKD quantum key distribution quantum cryptography) AND interferomet\$3 AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/01/27 09:46 |
| S71 | 9 | (cipher framing training) AND symbol\$1 AND (QKD quantum key distribution quantum cryptography) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/01/27 09:46 |
| S72 | 1 | interferomet\$5 AND (cipher training) AND (symbol\$1 fram\$3) AND (QKD quantum key distribution quantum cryptography) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/01/27 09:52 |

EAST Search History

| | | | | | | |
|-----|------|---|--|-----|----|------------------|
| S73 | 2 | interferomet\$5 AND path length control AND (QKD quantum key distribution quantum cryptography) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/01/27 09:58 |
| S74 | 2 | "7324647".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/01/27 10:07 |
| S75 | 2 | "7457416".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/01/27 10:09 |
| S76 | 2 | "7430295".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/01/27 10:10 |
| S77 | 2 | "20060222180".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/01/27 10:12 |
| S78 | 4506 | (pikalo.in. schlafer.in. elliot.in.) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/01/27 10:19 |
| S79 | 2 | (pikalo.in. schlafer.in. elliot.in.) AND quantum key distribution | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/01/27 10:19 |
| S80 | 24 | interferomet\$5 AND path length AND control\$4 AND (QKD quantum key distribution quantum cryptography) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/01/27 10:31 |

EAST Search History

| | | | | | | |
|-----|----|---|--|-----|----|------------------|
| S81 | 2 | "5515438".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/01/27 10:37 |
| S82 | 2 | interferomet\$5 AND feedback control\$4 AND (QKD quantum key distribution quantum cryptography) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/01/27 10:58 |
| S83 | 49 | interferomet\$5 AND compensat\$3 AND (QKD quantum key distribution quantum cryptography) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/01/27 10:59 |
| S84 | 3 | interferomet\$5 AND (automatic\$4 NEAR compensat\$3) AND (QKD quantum key distribution quantum cryptography) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/01/27 11:00 |
| S85 | 6 | interferomet\$5 AND (auto\$1compensat\$3) AND (QKD quantum key distribution quantum cryptography) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/01/27 11:00 |
| S86 | 2 | "6188768".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/01/27 11:22 |
| S87 | 2 | "5768378".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/01/27 12:35 |
| S88 | 2 | interferomet\$5 AND feedback control AND (QKD quantum key distribution quantum cryptography) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/01/27 14:45 |

EAST Search History

| | | | | | | |
|-----|----|---|--|-----|----|------------------|
| S89 | 2 | interferomet\$5 AND (feedback NEAR control\$4) AND (QKD quantum key distribution quantum cryptography) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/01/27 14:46 |
| S90 | 2 | (feedback NEAR control\$4) AND (QKD quantum key distribution quantum cryptography) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/01/27 14:48 |
| S91 | 2 | (feedback NEAR control\$4) AND ("QKD" quantum key distribution quantum cryptography) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/01/27 14:48 |
| S92 | 80 | frame\$1 AND ("QKD" quantum key distribution quantum cryptography) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/01/27 15:00 |
| S93 | 59 | control AND frame\$1 AND ("QKD" quantum key distribution quantum cryptography) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/01/27 15:01 |
| S94 | 55 | path AND control AND frame\$1 AND ("QKD" quantum key distribution quantum cryptography) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/01/27 15:01 |
| S95 | 52 | path AND length AND control AND frame\$1 AND ("QKD" quantum key distribution quantum cryptography) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/01/27 15:01 |
| S96 | 52 | path AND length AND control AND frame\$1 AND ("QKD" quantum key distribution quantum cryptography) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/01/27 15:01 |

EAST Search History

| | | | | | | |
|----------|-----|---|--|-----|----|------------------|
| S97 | 0 | path AND length AND control AND training frame\$1 AND ("QKD" quantum key distribution quantum cryptography) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/01/27 15:01 |
| S98 | 0 | training AND frame\$1 AND ("QKD" quantum key distribution quantum cryptography) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/01/27 15:01 |
| S99 | 1 | "QKD" path AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/01/27 15:05 |
| S10 0 | 165 | path AND length AND ("QKD" quantum key distribution quantum cryptography) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/01/27 15:06 |
| S10 1 | 168 | path AND length AND ("QKD" quantum key distribution quantum cryptography quantum cryptographic key distribution) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/01/27 15:06 |
| S10 2 | 72 | path length AND ("QKD" quantum key distribution quantum cryptography quantum cryptographic key distribution) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/01/27 15:06 |
| S10 3 | 66 | path length AND control\$4 AND ("QKD" quantum key distribution quantum cryptography quantum cryptographic key distribution) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/01/27 15:06 |
| S10 4 | 69 | path length AND (control\$4 compensat\$3 adjust\$4 calibrat\$3) AND ("QKD" quantum key distribution quantum cryptography quantum cryptographic key distribution) AND (@pd<"20021015" or @ad<"20021015" or @prad<"20021015" or @rlad<"20021015") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/01/27 15:07 |